



NPH-2
View Features



NPH-3
View Features



NPH-4
View Features



NPH-2T
View Features



NPH-3T
View Features



NPH-4T
View Features



N-300H
View Features



NPD-6TDE
View Features

PERFORMANCE

	NPH-2	NPH-3	NPH-4	NPH-2T	NPH-3T	NPH-4T	N-300H	NPD-6TDE
Suction and Delivery Diameters	2 x 2 in	3 x 3 in	4 x 4 in	2 x 2 in	3 x 3 in	4 x 4 in	3 x 3 in	6 x 6 in
Solid Size	.3125 in	.3125 in	.3125 in	1 in	1.5 in	2 in	1.5 in	3 in
Maximum Delivery	8,300 gph	16,000 gph	28,600 gph	11,900 gph	21,600 gph	34,200 gph	5,100 gph	80,000 gph
Suction Lift	26 ft	26 ft	26 ft	26 ft	26 ft	26 ft	25 ft	26 ft
Maximum Head	105 ft	105 ft	92 ft	90 ft	96 ft	91 ft	50 ft	120 ft

ENGINE


	NPH-2	NPH-3	NPH-4	NPH-2T	NPH-3T	NPH-4T	N-300H	NPD-6TDE
Model	Honda GX-120	Honda GX-160	Honda GX-240	Honda GX-160	Honda GX-240	Honda GX-340	Honda GX-120	Yanmar 3TNV88
Horsepower	4 hp	5.5 hp	8 hp	5.5 hp	8 hp	11 hp	4 hp	36 hp
Fuel Type	Gas/Unmixed	Gas/Unmixed	Gas/Unmixed	Gas/Unmixed	Gas/Unmixed	Gas/Unmixed	Gas/Unmixed	Diesel
Fuel Capacity	.66 gal	.66 gal	.66 gal	.95 gal	1.59 gal	1.72 gal	.66 gal	40 gal
Fuel Consumption	.22 gph	.22 gph	.5 gph	.29 gph	.5 gph	.65 gph	.29 gph	1.4 gph
Low Oil Sensor	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

WEIGHTS AND DIMENSIONS

	NPH-2	NPH-3	NPH-4	NPH-2T	NPH-3T	NPH-4T	N-300H	NPD-6TDE
Dimensions L x W x H	18 x 14 x 14	20.5 x 14.5 x 16	24 x 16.5 x 16 in	22 x 17 x 16	26.7 x 19 x	28.5 x 19 x	39.5 x 30 x	108 x

	in	in		in	24.2 in	23.5 in	24 in	51.5 x 68 in
Weight	50 lbs	60 lbs	102 lbs	79 lbs	130 lbs	155 lbs	145 lbs	1,750 lbs

NOTE: SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.



Limited Warranty: 2 years on engine, 1 year on pump (parts only) for all centrifugal and trash pumps; 2 years on engine, 1 year on pump (6 months parts and labor, plus 6 months parts only) on diaphragm pump. Refer to complete warranty for details.